

# Contents

<b>List of contributors</b>	<b>xiii</b>
<b>Biography</b>	<b>xvii</b>
<b>Foreword</b>	<b>xix</b>
<b>Preface</b>	<b>xxi</b>
<b>Part One Structure and properties of orthodontic biomaterials</b>	<b>1</b>
<b>1 Structure/property relationships in orthodontic alloys</b>	<b>3</b>
<i>W. Brantley, D. Berzins, M. Iijima, E. Tufekçi, Z. Cai</i>	
1.1 Introduction	3
1.2 Metallic bonding and general properties of metals	3
1.3 Alloy concepts and manufacturing processes—manipulation and properties	4
1.4 Orthodontic alloys	5
1.5 Characterization of orthodontic alloys	11
References	34
<b>2 Structure/property relationships in orthodontic polymers</b>	<b>39</b>
<i>T. Eliades, S. Zinelis, D.-G. Kim, W. Brantley</i>	
2.1 Introduction	39
2.2 Fracture and deformation processes for polymers	40
2.3 Rheology of polymeric materials	45
Further reading	58
<b>3 Structure/property relationships in orthodontic ceramics</b>	<b>61</b>
<i>S. Zinelis, W. Brantley</i>	
3.1 Introduction	61
3.2 Raw materials and manufacturing processes for ceramic brackets	61
3.3 Optical properties of ceramic brackets	62
3.4 Mechanical properties of ceramic brackets and clinical implications	65
3.5 Base characteristics of ceramic brackets	67
3.6 Concluding remarks	69
References	70

<b>Part Two</b>	<b>Orthodontic alloys: properties and clinical effects</b>	<b>73</b>
<b>4</b>	<b>Orthodontic brackets</b>	<b>75</b>
	<i>M. Iijima, S. Zinelis, S.N. Papageorgiou, W. Brantley, T. Eliades</i>	
4.1	Introduction	75
4.2	Evolution and traditional brackets	75
4.3	Self-ligating bracket (SLB)	77
4.4	Metallic brackets	78
4.5	Aesthetic brackets	82
4.6	Evidence on treatment with self-ligating and lingual appliances	84
	References	91
<b>5</b>	<b><i>In vitro</i> friction assessment in orthodontics</b>	<b>97</b>
	<i>T. Eliades, W. Brantley</i>	
5.1	Introduction	97
5.2	Factors affecting friction variation	98
5.3	The clinical significance	101
	References	104
<b>6</b>	<b>Nickel–titanium products in daily orthodontic practice</b>	<b>107</b>
	<i>I. Sifakakis, C. Bourauel</i>	
6.1	Introduction	107
6.2	First stage: leveling/alignment	107
6.3	Main stage: correction of molar relationship and space closure	118
6.4	Finishing and retention	122
	References	122
<b>7</b>	<b>Material properties and effects on mechanotherapy</b>	<b>129</b>
	<i>T. Eliades, T.G. Bradley, W. Brantley</i>	
7.1	Introduction	129
7.2	Stainless steel brackets and important factors	129
7.3	Titanium brackets	133
7.4	Ceramic brackets	134
7.5	Archwires	136
	References	138
<b>8</b>	<b>Adverse effects from orthodontic alloys</b>	<b>141</b>
	<i>D. Berzins, W. Brantley</i>	
8.1	Introduction	141
8.2	Ion release	141
8.3	Cytotoxicity	143

---

8.4	Allergic reactions	145
8.5	Enamel discoloration	146
	References	147
<b>Part Three Bonding to enamel with orthodontic adhesives</b>		<b>151</b>
<b>9</b>	<b>Composite resin polymerization and relevant parameters</b>	<b>153</b>
	<i>S.R. Schricker</i>	
9.1	Overview of a composite resin	153
9.2	What is a composite?	153
9.3	Resin component	155
9.4	Dimethacrylate cross-linking	155
9.5	Viscosity	156
9.6	Water sorption, plasticization, and hydrolytic degradation	157
9.7	Polymerization shrinkage	160
9.8	Filler	161
9.9	Wear	161
9.10	Filler loading	162
9.11	Particle size	162
9.12	Initiator	163
9.13	Light curing	164
9.14	Cold curing	164
9.15	Dual cure	165
9.16	Degree of cure	166
9.17	Parameters that affect cure	167
	References	168
<b>10</b>	<b>Frequent handling mistakes during bonding</b>	<b>171</b>
	<i>Z. Cai, M. Iijima, T. Eliades, W. Brantley</i>	
10.1	Introduction	171
10.2	Pumicing of tooth surface	171
10.3	Effect of fluoridation on enamel bonding	171
10.4	Enamel contamination, tooth whitening, and alternative bonding surfaces	172
10.5	Priming of enamel surface	173
10.6	Application of adhesive paste	173
10.7	Placement of brackets on teeth	174
10.8	Light-curing of adhesive	174
10.9	Need for patient rinsing after bonding	174
10.10	Debonding	175
10.11	Troubleshooting bonding failures	176
	Further reading	176

<b>11 Bond strength and its limited role in assessing efficacy</b>	<b>179</b>
<i>T. Eliades, W. Brantley</i>	
11.1 Introduction	179
11.2 Classification of studies on orthodontic bonding evaluation	180
11.3 Orthodontic bond strength assessment: protocol stages	180
References	188
<b>12 Clinical evidence on orthodontic bond failure and associated factors</b>	<b>191</b>
<i>S.N. Papageorgiou, N. Pandis</i>	
12.1 Introduction	191
12.2 General characteristics of bond failure	192
12.3 Influence of bonding procedure on bond failure	194
12.4 Adhesives	197
12.5 Curing lamps	198
12.6 Influence of orthodontic appliance on bond failure	199
12.7 Considerations for designing or appraising clinical studies of bond failure	201
References	202
<b>13 Bisphenol A and orthodontic materials</b>	<b>207</b>
<i>D. Kloukos, T. Eliades</i>	
13.1 Introduction	207
13.2 Orthodontic adhesives	208
13.3 Orthodontic adhesives: <i>in vitro</i> bisphenol A release	209
13.4 Orthodontic adhesives: <i>in vitro</i> estrogenicity	210
13.5 Orthodontic adhesives: <i>in vivo</i> bisphenol A release and estrogenicity	211
13.6 Polycarbonate brackets: <i>in vitro</i> bisphenol A release	213
13.7 Polycarbonate brackets: <i>in vivo</i> bisphenol A release and estrogenicity	213
13.8 Aligners	214
13.9 Conclusions	214
13.10 Clinical recommendations	215
13.11 Future research recommendations	215
13.12 Recommendations for standardization across studies	215
References	216
<b>14 Enamel alterations due to orthodontic treatment</b>	<b>221</b>
<i>R. Patcas, T. Eliades</i>	
14.1 The enamel	221
14.2 Enamel alterations associated with bonding attachments	223
14.3 Enamel alterations associated with fixed appliance therapy	225

---

14.4	Enamel alterations associated with debonding: removal of attachments	228
14.5	Enamel alterations associated with debonding: cleanup procedures	230
	References	233
<b>15</b>	<b>Bonding of fixed lingual retainers in orthodontics</b>	<b>241</b>
	<i>D. Kloukos, I. Sifakakis, T. Eliades, W. Brantley</i>	
15.1	Introduction	241
15.2	General comments about adhesives for bonding fixed retainers	242
15.3	Composite resin adhesives	242
15.4	Failure of fixed retainers	246
15.5	Polyethylene ribbon-reinforced and glass fiber-reinforced retainers	246
15.6	Ni–Cr retainers	247
15.7	Elgiloy Blue retainers	247
15.8	Stainless steel retainers	247
15.9	Multistranded retainers	248
15.10	Concluding clinical comments	248
	References	248
<b>16</b>	<b>Bonding with glass ionomer cements and resin-modified glass ionomer cements</b>	<b>253</b>
	<i>C. Rahiotis, S. Schricker</i>	
16.1	Introduction	253
16.2	Conventional glass ionomer cements	253
16.3	Resin-modified glass ionomer cements	256
16.4	Bonding to different substrates than enamel	258
16.5	Debonding	260
16.6	Bond failures	260
	References	261
<b>17</b>	<b>Future of bonding</b>	<b>267</b>
	<i>T. Eliades</i>	
17.1	Introduction	267
17.2	Command-debond adhesives	267
17.3	Bisphenol A-free monomers	268
17.4	Biomimetic adhesives	269
	Further reading	270

---

<b>Part Four</b>	<b>Orthodontic aligners</b>	<b>273</b>
<b>18</b>	<b>Aligners for orthodontic applications</b>	<b>275</b>
	<i>I. Sifakakis, S. Zinelis, T. Eliades</i>	
18.1	Introduction	275
18.2	Chemical structure	275
18.3	Mechanical properties	277
18.4	Clinical behavior	280
18.5	Aging	281
	References	283
<b>Index</b>		<b>287</b>